

BK-FDG-XIV



DESCRIPTION

BenKa's BK-FDG-XIV Cabinet is designed to handle fiber optic cross connections and accommodate passive optical splitters in PON FTTx networks, but can also be used for by pass splicing applications or combinations of the both.

The FDG is used as a demarcation point between the feeder network and the distribution network and provides quick and easy incremental installation of distribution cable terminations and fiber optic splitters.

It has the functions of fiber cable fixation and protection, optical cable termination function, splitting one core fiber into multiple cores and cross connection.

SPECIFICATION

- ✓ Anti-UV (Ultraviolet)
- ✓ Grounding device included
- ✓ Protection Class: IP65
- ✓ Flexible configuration changes

APPLICATIONS


- ✓ FTTH Access Network
- ✓ Telecommunication Network
- ✓ Data Communications Network
- ✓ Local Area Networks
- ✓ Ground-mounted

CONFIGURATION TABLE



Model	BK-FDG-XIV
Installation Method	Ground-mounted
Protection Grade	IP65
Color	Gray (Default RAL 7035)
Shell Material	SMC
Structure material	Cold rolled steel & Stainless Steel
Splice Tray Capacity(SC)	96 units
Size:	H×W×D = 1550×1460×620 (mm)

WWW.BENKATECHNOLOGIES.COM



DRAWING



WWW.BENKATECHNOLOGIES.COM



MORE PICTURES



WWW.BENKATECHNOLOGIES.COM